

PRODUCTS CATALOG

# SolarCleano



*The one-stop shop for all your solar cleaning  
& maintenance needs*

# Table of Contents

3	General Overview	SolarCleano B1A	10
5	SolarCleano F1	Accessories	11
6	SolarCleano M1	Demos, training, and support	12
7	SolarCleano L1	What we represent	13
8	SolarCleano T1	Innovation is in our DNA	14
9	SolarCleano B1	Why cleaning?	15



# General overview



	<b>F1</b>	<b>M1</b>	<b>L1</b>	<b>T1</b>	<b>B1</b>	<b>B1A</b>
<b>Controls</b>	Remote	Remote	Remote	Remote	Remote	Autonomous
<b>Cleaning Capacity</b>	1120 m <sup>2</sup> /h	600m <sup>2</sup> /h	2000 m <sup>2</sup> /h	N/A	3000 m <sup>2</sup> /h	3000 m <sup>2</sup> /h
<b>Length</b>	1450 mm	1139 mm	1800 mm	1300 mm	6908 mm	6908 mm
<b>Width</b>	1315 mm	479 mm	2483 mm	1200 mm	1740 mm	1740 mm
<b>Height</b>	333 mm	893 mm	386 mm	700 mm	3504 mm	3504 mm
<b>Weight</b>	80 kg	37 kg	110 kg	350 kg	1100 kg	1100 kg
<b>Brush types</b>	4 types	4 types	4 types	N/A	4 types	4 types
<b>Wet-Dry Cleaning</b>	Wet/Dry	Wet/Dry	Wet/Dry	N/A	Wet/Dry	Dry
<b>Maximum Speed</b>	40 m/min	30 m/min	40 m/min	54 m/min	40 m/min	20 m/min
<b>Remote control range</b>	200 m	200 m	200 m	200 m	200 m	N/A
<b>Battery life</b>	1h45	3h	4h	4h	7h to 12h with solar panels	7 to 12h with solar panels

# General overview



A range of robots to suit every budget and all types of solar panel installations



Also suitable for window and glass roof cleaning



No work at height: remote control from ground level



Fastest robots on the market, from 500 to 4000 m<sup>2</sup>/h



Operate under any condition




One-year warranty with dedicated after-sales services




No microcracks: Fraunhofer certification


4 types of brushes for different soiling conditions




Soft



Standard



Hard




Very hard



# SolarCleano F1

 [Download Data Sheet](#)

LED lights system for cleaning in nighttime conditions



Camera for remote operation

**Better safety**  
No work at height required.  
Easy handling  
**Remote control**  
Autonomy of 24h  
Water resistance IP65

Built-in filter for best water quality  
Connects to standard garden hoses of 13-15mm diameter & 2.5-8 bar water pressure




Central electric switching box  
Power supply by battery with an autonomy of 2h



Water free system  
Valves to adjust the water consumption  
Average: 0.3l/m<sup>2</sup>




Helicoidal brushes from 1,1m to 2,2m with 4 bristle types



High end caterpillar tracks  
For wet and dry cleaning  
For all kind of installation  
Up to 25° slope

Ultra-sound sensors for edge protection



Click here to watch our YouTube Playlist



# SolarCleano M1



[Download Data Sheet](#)



### Easy handling

Remote control  
Range of 200m  
Autonomy of 24h  
Water resistance IP65




### Lightweight structure

Dedicated to small installations



Approved for dry cleaning




Central electric switching box  
Power supply by battery with an autonomy of 3h



Connects to standard garden hoses of 13-15mm diameter & 2.5-8 bar water pressure. Valves to adjust water consumption (0.25 to 0.8L/m<sup>2</sup>)



Helicoidal brushes 0.8m with 4 bristle types. Dry & wet cleaning, up to 18° slope.




[Click here to watch our YouTube Playlist](#)




# SolarCleano L1





[Download Data Sheet](#)


 2.45m wide brushes


 4 types of bristles


 Ideal for 1P trackers installations

 Max inclination 27°

 2 batteries for 4h autonomy

 Cleans up to 2000m<sup>2</sup>/h

 Compatible with camera and LED lights



[Click here to watch our YouTube Playlist](#)



# SolarCleano T1



[Download Data Sheet](#)



1 single operator



Ideal for ground-mounted installation



Max inclination 25°




Platform height  
1.53 - 1.88m



Speed up  
to 54 m/min



Compatible with  
SolarCleano F1, M1 & L1



[Click here to watch our YouTube Playlist](#)




# SolarCleano B1



[Download Data Sheet](#)



Remote-controlled



For both water and waterless cleaning



Solution to ground-based utility-scale solar plants




Cleaning capacity up to 8MW per day



Different options of brush up to 6m



Self-adaptation to height and inclination




[Click here to watch our YouTube Playlist](#)





# SolarCleano B1A





[Download Data Sheet](#)


 Fully autonomous dry-cleaning robot

 Solution to ground-based utility-scale solar plants

 Cleaning capacity up to 15MW per day


 Different options of brush up to 6m

 Self-adaptation to height and inclination

 Programmed sessions for cleaning anytime







We offer fully bespoke autonomous solar bridge cleaning solutions to your **large-scale power plants**















[Click here to watch our YouTube Playlist](#)



# Accessories

		COMPATIBLE WITH			
		F1	M1	T1	L1
	<b>Safety glider</b> For safer cleaning on installations of more than 25°.	●	●		●
	<b>LED light</b> Solution to cleaning at night. The light is paired with a camera and screen set.	●			●
	<b>Osmosis system</b> Purifying the cleaning water with no residue on solar panels.	●	●		●
	<b>1.2m (F1) or 2m45 (L1) brushes</b> For wet and dry cleaning on different soiling types.	●			●
	<b>1.1m brushes</b> Especially designed for the cleaning of east-west and floating installations, and line on rooftops.	●			
	<b>0.8m brushes</b> For wet and dry cleaning on different soiling types.		●		
	<b>2.2m brushes</b> For wet and dry cleaning on different soiling types.	●			

		COMPATIBLE WITH			
		F1	M1	T1	L1
	<b>Floating wheels</b> Making your cleaning more fluid on floating panels and smart solar trackers installations.	●	●		
	<b>Galileo</b> Track all your robots' performances, collect data and plan your maintenance.	●	●		●
	<b>Additional charger</b> Keeping your batteries fully-charged all the time.	●	●		●
	<b>Additional charger of 15A (T1)</b> Keeping your batteries fully-charged all the time.			●	
	<b>Toolkit</b> Having all the necessary maintenance tools of the robot by yourself.	●	●	●	●
	<b>Fall arrest equipment</b> High-quality harnesses and lanyards.	●	●		●

		COMPATIBLE WITH			
		F1	M1	T1	L1
	<b>Spare part kit:</b> Simple and fast robot maintenance by saving the waiting time and replacing parts of the cleaning robot whenever necessary.	●	●		●
	<b>Remote control battery</b> Allowing your robot to clean for a longer time.	●	●	●	●
	<b>Remote control battery charger</b> If you have several batteries, make sure you have enough chargers!	●	●	●	
	<b>Camera and screen</b> Increasing operation safety and allowing you to pilot from the ground, or if vision is obstructed.	●			●
	<b>Sprayer</b> Easily spreads dedicated cleaning product on particularly soiled panels (Lichen, Cement, Bird Droppings,...)	●			
	<b>Anti-fall sensor</b> Detects the end of the panels' line to efficiently prevent any fall or other accidents.	●			●



# Demos, training, and support



## Demos

- We regularly organise free demonstrations and we are ready to present you our solar robot live on your installation.
- Contact us anytime for a demo request.

[sales@solarcleano.com](mailto:sales@solarcleano.com)



## Trainings

- Our experienced staff have done many robotic panel cleaning trainings to local cleaning companies. Our experience shows that the better you train your employees, the better they will use and maintain your robot.
- Get in touch for a training inquiry.

[sales@solarcleano.com](mailto:sales@solarcleano.com)



## Support and maintenance

- With a qualified and multilingual after-sales service team at your disposal, we look forward to answering your questions and studying your technical specifications.
- 7 a.m. - 6 p.m. (GMT+1) 5 days a week.


[service@solarcleano.com](mailto:service@solarcleano.com)











## The Evolution of SolarCleano


 Robot-fluent R&D team, technology at the core


 Regular product updates to guarantee top efficiency

 New product release regularly


 Partnerships with customers for feedback and improvements

 Thorough testing on all products

 Regular maintenance and updates offer



## Innovation is part of our DNA








Regular cleaning maintains your photovoltaic installation and can help it regain performance, and participates to maintain your installation in a good state. The sunlight reflection diminishes with dirt and reduces the absorption of solar energy on photovoltaic cells. As a result, *cleaning regularly your solar panels is considered a good investment.*


# Why cleaning?

## Before cleaning




current		day	
injected current power Pac	31.96 kW	production	1.14 MWh
generator potency Pdc	35.82 kW	inject compensation	658.14 €
efficiency rate and n	89 %	specific yield	4.56 kWh/kWp
status	24x MPP	estimation	189.59 %
		<b>Total CO2 emission avoidance</b>	<b>1644.88 t</b>

## After cleaning



current		day	
injected current power Pac	31.96 kW	production	1.3 MWh
generator potency Pdc	35.82 kW	inject compensation	752.83 €
efficiency rate and n	89 %	specific yield	5.22 kWh/kWp
status	24x MPP	estimation	167.9 %
		<b>Total CO2 emission avoidance</b>	<b>1644.88 t</b>



PV production

## Before /After cleaning

— production without cleaning  
 — production with cleaning





## SolarCleano S.A.R.L.

Rue Gustave Loosé, 2-4  
L-8346 Grass  
Luxembourg

## Contact Us

+352 28 80 69  
info@solarcleano.com  
solarcleano.com

## Follow Us @solarcleano

LinkedIn  
Facebook  
Instagram  
X  
YouTube

